## AC009EXT - AC039EXT **AC071EXT - AC072EXT**

Trim parts for thermomixers Parti esterne per miscelatori termostatici Parties extérieures pour mitigeurs thermostatiques AP-Teile für Thermostatmischer

Partes exteriores para monomandos termostáticos Afbouwdeel t.b.v. inbouw thermostaatkranen



#### AC009EXT





AC039EXT





AC071EXT



AC072EXT



#### BEFORE STARTING / PRIMA DI INIZIARE / AVANT DE COMMENCER / ANTES DE EMPEZAR / VOR DEM START / VOORDAT JE BEGINT



bar



MAX 80











RECOMMENDED: **BALANCED PRESSURES** 



bar

PRESSURE RANGE MIN/MAX 0,5/5 BAR
(IN CASE OF WATER PRESSURE HIGHER THAN 5 BAR WE RECOMMEND TO INSTALL PRESSURE REDUCERS).
RECOMMENDED PRESSURE 3 BAR.

#### **OPERATION:**

EITHER WITH GAS OR ELECTRIC ACCUMULATION BOILERS OR CENTRALISED SYSTEMS.

SAFETY LOCK AT:

MIN. WORKING TEMPERATURE:

3° C

MIN. RECOMMENDED:

15° C

MAX. WORKING TEMPERATURE:

70° C

MAX. RECOMMENDED:


65° C


RECOMMENDED THERMAL DIFFERENTIAL


50° C


THERMAL DISINFECTION IS ALLOWED.

SAFETY SYSTEM WITH FLOW STOP IN CASE OF LACK OF ONE OF THE TWO WATERS.













## PRE-INSTALLATION













## INSTALLATION (THERMOMIXER AND DIVERTER HANDLES)













### **INSTALLATION (SPOUT)**







### INSTALLATION (HAND SHOWER SUPPORT)








## INSTALLATION (HAND SHOWER SUPPORT)
















# MAINTENANCE (THERMOSTATIC CARTRIDGE)













## MAINTENANCE (DIVERTER AND SPOUT)





#### **CLEANING - PULIZIA - NETTOYAGE - REINIGUNG - LIMPIEZA - REINIGING**

		<b>Ø</b>		8	3	WARNING	
CR CHROME	WATER 🔇	LIQUID SOAP	SMOOTH CLOTH	ABRASIVE SPONGE	ACID/ABRASIVE ACID/ABRASIVE	Inoxidable electrolitic finish Finitura elettrolitica inossidabile Finition électrolytique inoxydable	Inoxidierbare elektrolytische Ausführung Acabado electrolítico inoxidable Inoxidable elektrolitische afwerking
GN BRUSHED NICKEL	water 🔇	LIQUID SOAP	SMOOTH CLOTH	ABRASIVE SPONGE	ACID/ABRASIVE X	Inoxidable electrolitic finish Finitura elettrolitica inossidabile Finition électrolytique inoxydable	Inoxidierbare elektrolytische Ausführung Acabado electrolítico inoxidable Inoxidable elektrolitische afwerking
BBP BRUSHED BRASS PVD	WATER <b>W</b>	LIQUID SOAP	SMOOTH CLOTH	ABRASIVE SPONGE	ACID/ABRASIVE X	Inoxidable PVD finish Finitura PVD inossidabile Finition PVD inoxydable	Inoxidierbare PVD Ausführung Acabado PVD inoxidable Inoxidable PVD afwerking
BRUSHED COPPER PVD	WATER	LIQUID SOAP	SMOOTH CLOTH	ABRASIVE SPONGE	ACID/ABRASIVE DETERGENT	Inoxidable PVD finish Finitura PVD inossidabile Finition PVD inoxydable	Inoxidierbare PVD Ausführung Acabado PVD inoxidable Inoxidable PVD afwerking
MBP MATT BLACK PVD	WATER 🔇	LIQUID SOAP	SMOOTH CLOTH	ABRASIVE SPONGE	ACID/ABRASIVE ACID/ABRASIVE	Inoxidable PVD finish Finitura PVD inossidabile Finition PVD inoxydable	Inoxidierbare PVD Ausführung Acabado PVD inoxidable Inoxidable PVD afwerking
PBP  POLISHED BLACK PVD	WATER 🐼	LIQUID SOAP	SMOOTH CLOTH	ABRASIVE SPONGE	ACID/ABRASIVE DETERGENT	Inoxidable PVD finish Finitura PVD inossidabile Finition PVD inoxydable	Inoxidierbare PVD Ausführung Acabado PVD inoxidable Inoxidable PVD afwerking

TERMS OF SALE AND WARRANTY
CONDIZIONI DI VENDITA E GARANZIA
CONDITIONS DE VENTE ET GARANTIE
CONDICIONES DE VENTA Y GARANTÍA
VERKAUFSBEDINGUNGEN UND GARANTIE
VERKOOP- EN GARANTIEVOORWAARDEN

NETHERLANDS
BELGIUM
LUXEMBOURG
UK AND IRELAND

ALL COUNTRIES (EXCEPTED BENELUX, UK AND IRELAND)

https://www.hotbath.nl/garantie

https://hotbath.it/en/termsofsale



Hotbath B.V.
Nieuwland Parc 210
2952 DC Alblasserdam
Nederland
E info@hotbath.nl
W hotbath.nl



Hotbath Srl
Via Marco Polo 135/D
I-55049 Viareggio
Italy
E info@hotbath.it
W hotbath.it

